



NRPA

National Recreation
and Park Association

Certified Playground Safety Inspector Candidate Handbook

**National Recreation and Park Association
22377 Belmont Ridge Road
Ashburn, VA 20148
(703) 858-0784**



**Certified
Playground
Safety Inspector**

TABLE OF CONTENTS

INTRODUCTION

Welcome	3
Examination Development	3
About the Testing Agency	3

SECTION I: ADMINISTRATIVE POLICIES AND RULES FOR EXAMINATION

Services for Individuals with Disabilities	4
Services for English as a Second Language Candidates	4
Inclement Weather or Emergency	4
Age and Education Requirement	4
Copyrighted Examination Questions	5
Release of Information	5
Following the Examination and Scoring Results	5
Appeals	5
Re-Examination	5
Scores Cancelled	5
Your Status as a Certified Playground Safety Inspector	6
Recertification	6
Certification Extension Policy	6
Statement of Non-Discrimination	7

SECTION II: PAPER PENCIL EXAM ADMINISTRATION 8

SECTION III: STUDY GUIDE

General Examination Preparation	9
Study Advice	9
Test-taking Advice	9
Exam Content Outline	10
Exam Question Materials	11
CPSI Table of Dimensions	12-13

SECTION IV: CPSI CODE OF PROFESSIONAL CONDUCT 14

Copyright 2019. National Recreation and Park Association.

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy or recording, or any information and retrieval system, without permission in writing from the National Recreation and Park Association.

INTRODUCTION

Welcome

The Certified Playground Safety Inspector (CPSI) program is offered by NRPA under the authority of the National Certification Board (NCB).

The purpose of the CPSI Course is for those certified to be able to complete the following:

- Identify hazards on public playground equipment and the playground
- Rank the hazards according to injury potential
- Apply the knowledge to remove the hazards and establish a system of inspections

The desired outcome is that a Certified Playground Safety Inspector (CPSI) is capable of establishing the basics of a sound risk reduction program establish a system of repair, retrofit and removal of hazardous equipment and establish a routine inspection system for their own agency or playground owner-client.

The NRPA understands that achieving the CPSI certification does not make one an expert in the implementation of the public use playground standard of care. However, the NRPA does recognize all program participants should acquire the knowledge and specific competencies necessary to attain certification as identified by the CPSI Certification and Exam Committees. This knowledge properly and consistently applied in the field will help to create an experience level necessary to be considered a playground safety expert.

Examination Development

All examination items (questions) have been written and reviewed by subject-matter experts representing playground safety experts and practitioners from many geographical regions. These individuals provide the job-related perspective and expertise that underlies valid examinations.

Individuals seeking certification as a CPSI must receive a passing grade on the CPSI certification examination. Maintenance of the CPSI certification requires at least a passing grade on the CPSI certification examination every three (3) years.

About the Testing Agency

PSI Services (PSI) is the professional testing agency contracted by the NRPA to assist in the development of the examination based on the test specifications developed by the NCB in consultation with the testing agency. The testing agency is responsible for proctoring the paper pencil exam, and administration of the computer based exam at test centers throughout the US.

SECTION I: ADMINISTRATIVE POLICIES AND RULES FOR EXAMINATION

Services for Individuals with Disabilities

The NRPA complies with the Americans with Disabilities Act by ensuring that no individual with a disability is deprived of the opportunity to take an examination solely by reason of disability. All registration materials must include a statement regarding special accommodations.

A candidate who has a disability may request a special accommodation; the request must be submitted in writing at the time of exam registration. Please contact your course host or if taking the computer based exam please contact PSI. In order to properly accommodate all persons with disabilities it is recommended that all requests be made 45 days prior to the course and exam.

Services for English as a Second Language Candidates

Time extension - If a candidate's primary language is not English and they want to request a time extension to take the Certified Playground Safety Inspector (CPSI) exam they must submit the *ESL Request Form* available at www.nrpa.org which includes additional fee information and the signature of a supervisor, professor, or the employee's human resources representative. The ESL Form must be submitted to NRPA at least two weeks prior to the examination. Once the request form and fees have been submitted the testing company will add 90 minutes to the time allowed for the exam.

Translation Dictionary – If a candidate's primary language is not English and they want to provide and use a strict translation dictionary (word to word and in book form only, no electronic dictionaries allowed), they must submit an *ESL Request Form* available online at www.nrpa.org to NRPA at the time of application. Unless a time extension is also requested the candidate will be required to complete the exam within the standard 2 hours. If the request is approved, the applicant will receive a confirmation email from NRPA and the testing company will recognize the request when scheduling the exam. The dictionary will be inspected prior to and after the examination to ensure exam security.

Inclement Weather or Emergency

In the event of inclement weather, other acts of God or unforeseen emergencies on the day of an examination, NRPA and PSI will determine whether circumstances warrant the cancellation, and subsequent rescheduling of an examination. The examination will usually not be rescheduled if the host location personnel are able to open the host location.

Candidates may call the host directly or visit PSI's website at www.goAMP.com to determine if the location will open during inclement weather or an emergency. Every attempt is made to administer examinations as scheduled; however, should an examination be canceled at a host location, all scheduled candidates will be contacted regarding a rescheduled examination date or reapplication procedures.

Age and Education Requirement

Candidates sitting for the CPSI Certification examination must be 18 or older and have a high school degree or equivalent. Your legal identification will be verified upon entry into the examination site.

Copyrighted Examination Questions

All examination questions are copyrighted property of The NRPA. It is forbidden under federal copyright law to copy, reproduce, record, distribute or display these examination questions by any means, in whole or in part. Doing so may subject you to severe civil and criminal penalties.

Release of Information

The NRPA is committed to protecting the confidentiality of candidate records and have adopted policies to ensure their privacy. Notification of pass/fail goes directly from the professional testing company to the NRPA. NRPA then communicates the pass/fail with the candidate by means of the email address provided at the time of testing. NRPA does not release candidates' examination scores to third parties absent special, compelling circumstances. Successful candidates are added to the NRPA CPSI registry, available at www.nrpa.org/CPSI, within 6-8 weeks of examination.

Following the Examination and Scoring of Results

The testing agency will notify NRPA of your score approximately two to three (2-3) weeks following the examination. NRPA will provide your exam results and an exam score report via email once the scores are received. The passing score for the examination reflects the amount of knowledge that a committee of experts has determined to be appropriate for certification. A criterion-referenced standard setting procedure and expert judgment was used to evaluate each item on the examination in order to identify the passing point.

Appeals

Applicants desiring to appeal their examination results may write a letter of appeal to the CPSI Certification Committee c/o NRPA. In the letter, candidates should state reasons why they do not agree with the examination outcome. Written appeals must be received within sixty (60) days of the examination date for the appeal to be considered. Appeals will be reviewed at the quarterly CPSI Certification Committee meeting and letters will be sent to all appealing professionals following decision of the committee.

Re-Examination

Candidates that were unsuccessful in passing the CPSI exam may apply to retake the exam either at a classroom course location or through computer based testing (CBT) at a local testing facility. Candidates will need to go through the same procedures as outlined above for the administration of the examination.

Scores Cancelled

NRPA's testing agency is obligated to report scores that accurately reflect the performance of each candidate. For this reason, the testing agency maintains test administration and test security standards that are designed to assure that all candidates are provided the same opportunity to demonstrate their abilities and to prevent some candidates from gaining an unfair advantage over others due to testing irregularities or misconduct. The testing agency will routinely review irregularities and test scores suspected of unusual or non-standard circumstances and report such to NRPA.

NRPA reserves the right to withhold or cancel test scores if, in its sole opinion, there is reason to question their validity. Scores considered for cancellation by NRPA may be grouped into two categories:

1. Suspected candidate misconduct. In such cases, NRPA may initially withhold test scores and notify the candidates that they have the opportunity to provide additional information as requested by NRPA. NRPA may also undertake a confidential review if the circumstances giving rise to the questionable score validity. If it is determined that there is sufficient cause to question score validity, NRPA may cancel the score(s) and inform the involved parties.
2. Irregularities. Scores may be withheld and/or cancelled because of circumstances beyond candidate's control, such as defective test materials or mistiming. In such cases, candidates will be informed and offered an opportunity to retake the examination if NRPA determines that scores must be cancelled.

In addition to the reasons listed above, NRPA may withhold or cancel examination results if, upon investigation, violation of NRPA policies outlined in this publication has been committed.

Your Status as a Certified Playground Safety Inspector

If you pass the CPSI Examination you will be awarded the CPSI designation as a Certified Playground Safety Inspector. Your certification is valid for three (3) years beginning the day you pass the examination and ending the first day of the month following examination date, three years later. CPSIs are required to maintain current knowledge of the standards/guidelines described in the CPSI examination references. NRPA will provide information about maintenance of certification with your certificate. To facilitate communications Certified Playground Safety Inspectors are required to advise NRPA of address, phone and email changes.

Recertification

Renewal of the CPSI Certification is to ensure that professionals are knowledgeable of the current best practices in the field of playground safety. Individuals wishing to renew their CPSI certification must successfully complete the CPSI examination prior to their expiration date.

Expiring CPSI's will receive a renewal reminder prior to their expiration date. It is an individual's responsibility to keep NRPA updated with current contact information.

Certification Extension Policy

It is NRPA's policy to grant additional time (commensurate with deployment/active duty time) to active duty military, reservists, civilian employees recalled to active duty and civilian employees deployed into war/hostile fire zone, or any equivalent area designated by the armed forces, for renewal of their certification. It is the responsibility of the individual to request an extension and to provide official documentation regarding the circumstance. Extension requests, along with all documentation, should be provided to NRPA within 30 days before certification deadline.

If a serious health condition or extreme personal emergency has prevented an individual from completing all recertification requirements, a request for extension may be submitted along with a letter from the treating physician confirming return to full duty. Extension requests, along with all documentation, should be provided to NRPA within 30 days before certification deadline.

If an extension is granted, a letter will be sent to the individual stating their new certification deadline as

up to one year from the present deadline.

Statement of Non-Discrimination

The National Recreation and Parks Association, National Certification Board and the testing company shall not discriminate on the basis of race, disability, religion, color, national origin, age, gender, covered veterans status, marital status, personal appearance, sexual orientation, family responsibilities, political affiliation, source of income, place of business or residence, pregnancy, childbirth, or any other unlawful basis. This policy is in compliance with Title VII of the Civil Rights Act, the Americans with Disabilities Act, and the Age Discrimination in Employment Act.

SECTION II: PAPER PENCIL – EXAM ADMINISTRATION

- Arrive during the scheduled check-in period. **Do not arrive late.** You will not be allowed into the room if you arrive after the test has begun. You must have permission from the test administrator to leave the room during the examination. You will not be allowed additional time to make up for time used.
- When arriving for the exam, a candidate will need to present two forms of identification, one with a current photograph. Both forms of identification must be current and include the candidate's current name and signature. The candidate will also be required to sign a roster for verification of identity.
- Acceptable forms of photo identification include: a current driver's license with photograph, a current state identification card with photograph, a current passport, or a current military identification card with photograph. Employment ID cards, student ID cards, and any type of temporary identification are not acceptable. The secondary form of identification must display your name and signature for signature verification (e.g., credit card with signature, social security card with signature).
- Candidates will not be allowed to have access to the following types of personal items during the test: cellular/smart phones, hand-held computers/personal digital assistants (PDAs) or other electronic devices, pagers, watches, wallets, purses, hats, bags, coats, books and notes. If any personal items are observed or heard (e.g., cellular/smart phones, alarms) in the testing room after the examination is started, you will be dismissed and the administration will be forfeited.
- The Exam Administrator will keep the official time and ensure that you are given the allotted time of 2 hours for the exam. If the candidate leaves the room to take a break (i.e. use the restroom) the exam time will not stop.
- If the candidate experiences problems that affect their ability to take the exam, they must notify the administrator **immediately**.
- Exam Administrators and exam supervisors are employed proctors and cannot answer questions concerning the content of the examination. Listen carefully to the instructions given by the Exam Administrator and read all directions in the examination booklet thoroughly.
- The Exam Administrators may dismiss a candidate from the examination for any of the following reasons:
 - If a candidate creates a disturbance, is abusive or otherwise uncooperative;
 - If a candidate gives or receives help, or is suspected of doing so;
 - If a candidate attempts to remove test materials or notes from the testing location;
 - If a candidate attempts to take the examination for someone else;
 - If the candidate displays and/or uses a cellular/smart phone or other prohibited electronic device during the Examination; if a cellular/smart phone or other prohibited electronic device is heard during the examination;
 - If the candidate attempts to use unauthorized aids; and/or
 - If the candidate fails to follow Examination regulations
- Questions or concerns about a test item may be written on the back of the exam answer sheet.
- The examination has two components: the examination booklet and a separate answer sheet. Both must be returned to the Exam Administrator at the completion of the exam or at the end of the exam period.

SECTION III: STUDY GUIDE

General Examination Preparation

The study and test-taking advice described here may be helpful as you prepare for the examination. Try to be objective about yourself and your individual learning needs when you are deciding how best to proceed with your study.

Study Advice

Determine how you study best. Some students seem to learn faster by hearing the information, while others need to see it written or illustrated, and still others prefer to discuss material with colleagues. A combination of these alternatives can often produce the most effective study pattern. If you had success in lecture courses with little outside review, it may be that you need to hear information for best retention. If you find that you prefer to read material, then you might consider jotting down important facts on a 3x5 card. You can refresh your memory by periodically reviewing these cards. This technique is especially effective if you write the material thoughtfully and concisely, allowing you to digest the material through both reading and writing. You may wish to organize a study group or find a study partner. Once you decide on the method most effective and comfortable for you, focus on that preference and use the other techniques to complement it.

Plan your study schedule well in advance. Use learning techniques, such as reading or audio-visual aids. Be sure you find a quiet place to study where you will not be interrupted.

Test-Taking Advice

The advice offered here is presented primarily to familiarize you with the test directions.

- 1. Read all instructions carefully.**
- 2. The actual examination will be timed.**
- 3. For best results pace yourself by periodically checking your progress. This will allow you to make any necessary adjustments. Remember, the more questions you answer, the better your chances of achieving a passing score.**
- 4. Be sure to record an answer for each question, even those of which you are uncertain. You can answer questions and mark them for review if time allows. Avoid leaving any questions unanswered; this will maximize your chances of passing. It is better to guess than to leave a question unanswered; there is no penalty for guessing.**

Exam Content Outline

Certified Playground Safety Inspector Content Outline	
1. DESIGN AND INSTALLATION	15 questions
A. Evaluate site for potential installation	
B. Specify layout of play environment	
C. Select equipment based on age appropriateness, child development, accessibility, durability, community input, etc.	
D. Select surfacing materials based on age appropriateness, child development, accessibility, durability, community input, etc.	
E. Evaluate minimum accessibility safety requirements of the play environment	
F. Ensure that installation of equipment is in compliance with current ASTM Standard and CPSC guidelines	
G. Ensure that installation of equipment meets manufacturer's recommendations	
H. Ensure that installation of surfacing materials is in compliance with current ASTM standards and CPSC guidelines (field test or laboratory test)	
2. AUDIT AND INSPECTION	59 questions
A. Inventory equipment	
B. Inventory installation documentation, maintenance instructions, and compliance documentation	
C. Identify equipment not recommended for playgrounds	
D. Verify play environment (shade, drainage, use zones, etc.) is compliant with requirements	
E. Use inspection tools and gauges to identify conditions compliant and non-compliant with current ASTM standards and CPSC guidelines	
F. Verify compliance with equipment performance requirements	
G. Identify hazards such as: entanglement, sharp edges/points, impalement (protrusions), overhead obstructions, head entrapment, suspended components, neck entrapment, falls, crush and shear	
H. Determine fall heights of equipment	
I. Verify compliance of surfacing materials (compliance documentation, field test or laboratory test)	
J. Verify compliance with accessible route standards	
K. Verify that use zones meet current ASTM standards and CPSC guidelines	
L. Establish schedule of inspections (high-frequency, low frequency)	
M. Identify differences in content for high-frequency and low frequency inspections	
N. Create inspection forms	
O. Document hazards and non-compliant situations with citation of relevancy	
P. Apply professional judgment in accordance with current ASTM standards and CPSC guidelines to evaluate equipment not listed	
Q. Assess conditions for potential hazards	
R. Prioritize hazards and non-compliant situations	
S. Make recommendations regarding corrective action	
3. MAINTENANCE	11 questions
A. Maintain loose-fill surfacing for accessibility	
B. Maintain loose-fill surfacing for impact attenuation compliant with ASTM standards and CPSC guidelines	
C. Recommend corrective actions to bring conditions into compliance with ASTM standards and CPSC guidelines	
D. Recommend that corrective actions are performed in accordance with manufacturer's recommendations	
E. Develop a preventative maintenance program	
F. Follow a preventative maintenance program	
G. Take equipment out of service	
4. RISK MANAGEMENT/DOCUMENTATION/REPORTING	10 questions
A. Develop an operating procedure for documentation and record keeping	
B. Implement an operating procedure for documentation and record keeping	
C. Maintain site history files	
D. Maintain inspection records	
E. Maintain repair and maintenance records	
F. Remain current with industry trends and recalls	
G. Train staff on principles of playground safety	
H. Follow the CPSI Code of Professional Conduct	
TEST DEVELOPMENT	5 questions
A. Beta test questions included that are not calculated into the final score.	

The exam questions are taken from the following sources

- **The Consumer Product Safety Commission Handbook for Public Playground Safety** (*The CPSC Handbook is available for download at no charge from their website, <http://www.cpsc.gov/cpscpub/pubs/325.pdf>*)
Read every page of this document. Do not try to memorize Tables One and Two. Concentrate on understanding the meaning of the tables. Pay special attention to the sections relating to surfacing materials, use zones, equipment not recommended for public playgrounds, equipment not recommended for pre-school age children, specific recommendations for types of equipment, and recommendations for guardrails and barriers.
- **The ASTM F1487-17 Standard Consumer Safety Performance Specification for Playground Equipment for Public Use** (*The ASTM standard is available to download, however there is a fee, www.astm.org*)
Read every page of this document. Again, it is not necessary to memorize the tables. You must be very familiar with this document. The audit is based on the ASTM Standard. Much of the exam is based on this document.
- **ASTM F2223-10 Standard Guide for ASTM Standards on Playground Surfacing** (*The ASTM standard is available to download, however there is a fee, www.astm.org*)
- **Playground Safety Is No Accident** (*This book can be purchased at the NRPA store*)

The following Table of Dimensions is included in the exam booklet.

TABLE OF DIMENSIONS USED IN ASTM F1487 EXAM VERSION (REV 5/29/13)			
ITEM	ENG.	MET.	REF.
Suspended Members / Swing Seats - minimum radius	0.25 in	6.4 mm	6.2.3
Steps and Rungs - spacing tolerance \pm	0.25 in	6.4 mm	7.2.1
Accessible Route - maximum vertical rise without 45° taper	0.25 in	6.4 mm	ADA
Wheelchair-Accessible Platforms - maximum opening	0.50 in	13 mm	ADA
Accessible Route - maximum vertical rise with 1/4" 45° taper	0.50 in	13 mm	ADA
Ramp and Barrier without Curb - maximum space allowed	1.00 in	25.4 mm	7.5.5.6
Non-Rigid Component Suspended Between Two Play Units or Between Play Unit and Ground Within 45° of Horizontal - minimum diameter	1.00 in	25.4 mm	6.6
Partially-Bounded Opening Probe - neck width	1.875 in	47.6 mm	6.1.4.2
Sliding Pole - maximum diameter	1.9 in	48 mm	8.4.4
Designated Playing Surface - minimum width and length < 30° from horizontal	2.0 in	51 mm	3.1.10
Wheelchair Accessible Ramps Where Guardrails or Barriers Not Extending within 1" of Ramp Surface; or ramps with Two Rails and No Barrier; or Ramps with Barrier Beyond Ramp Edge - minimum curb height	2.0 in	51 mm	7.5.5.6
Partially-Bounded Opening Probe - neck length	3.0 in	76 mm	6.1.4.2
Seesaw and Spring Rocker Handgrip Intended to be Gripped by 1 Hand - minimum length	3.0 in	76 mm	8.10.4.1 8.11.2
Spring Rocker Footrests - minimum length	3.5 in	89 mm	8.11.3
Large Projection Gauge - outside diameter	3.5 in	89 mm	6.4.3
Slide Sidewall - minimum height	4.0 in	102 mm	8.5.4.4
Suspended Rope, Cable, or Chain - minimum inside perimeter	5.0 in	127 mm	6.6.1
Seesaw and Spring Rocker Handgrip Intended to be Gripped by 2 Hands - minimum length	6.0 in	152 mm	8.10.4.1 8.11.2
Partially-Bounded Opening Probe (A) - width	6.1 in	155 mm	6.1.4.6
Torso Probe - width	6.2 in	157 mm	Fig A1.2
Slides > 48" High - minimum exit height	7.0 in	178 mm	8.5.5.3
Rope, Cable, or Chain Attached at One End - maximum length	7.0 in	178 mm	6.6.2.3
Horizontal Ladder Accessed by Rung - minimum horizontal clearance to first rung	8.0 in	200 mm	8.3.2
Partially-Bounded Opening Probe (B) - shoulder width	8.5 in	216 mm	6.1.4.2
Rotating Equipment > 20" Diameter - minimum clearance between platform and surface	9.0 in	229 mm	8.8.4.2
Horizontal Ladder Rungs for Children \geq 4 yrs - minimum space	9.0 in	229 mm	CPSC 5.3.2.4
Horizontal Ladder Accessed by Rung - maximum horizontal clearance to first rung	10 in	250 mm	8.3.2
Slides < 48" High - maximum exit height	11 in	280 mm	8.5.5.3
Slide Exit Region - minimum length	11 in	280 mm	8.5.5.1
Accessible Transition Platform - minimum height	11 in	280 mm	ADA
Balance Beam for Children 2-5 - maximum height	12 in	300 mm	8.1.1
Slides for Children 2-5 - minimum slide chute width	12 in	300 mm	8.5.4.3
To-Fro Swing Seats - min. clearance from seat to surface	12 in	300 mm	8.6.5.1 (5)
Stepping Forms for Children 2-5 - max. distance between forms	12 in	300 mm	8.15.6
Adjacent Platforms for Children 2-5 - maximum height without an access component	12 in	300 mm	7.5.7.1
Wheelchair Ramps w/ Barriers - minimum lower handrail height	12 in	300 mm	7.5.5.5
Rotating Equipment for Children 2-5 - max. standing surface	14 in	360 mm	8.8.2
Spring Rockers - minimum seat height	14 in	360 mm	8.11.5
Slide Transition Platform - minimum depth	14 in	360 mm	8.5.2.2
Slides > 48" High - maximum exit height	15 in	380 mm	8.5.5.3
Horizontal Ladders for Children 5-12 - maximum rung spacing	15 in	380 mm	8.3.1
Moveable Hanging Rings and Rungs - maximum distance between pivot point and bottom of handgrip device	15 in	380 mm	8.3.5
Wheelchair Ramps w/ Barriers - maximum upper handrail height	16 in	410 mm	7.5.5.5
Balance Beam for Children 5-12 - maximum height	16 in	410 mm	8.1.1
Slides for Children 5-12 - minimum slide chute width	16 in	410 mm	8.5.4.3
Upper Body Equipment for Children 2-5 - maximum landing structure height	18 in	460 mm	8.3.4

ITEM	ENG.	MET.	REF.
3-D Net Climber for Children 2-5 - maximum clear vertical path diameter	18 in	460 mm	8.2.5.3
Sliding Pole - minimum distance from structure	18 in	460 mm	8.4.1
Rotating Equipment for Children 5-12 - max. standing surface	18 in	460 mm	8.8.2
Log Roll - maximum roller height	18 in	460 mm	8.12.3
Accessible Transition Platform - maximum height	18 in	460 mm	ADA
Adjacent Platforms for Children 5-12 - maximum height without an access component	18 in	460 mm	7.5.7.1
3-D Net Climber for Children 5-12 - maximum clear vertical path diameter	20 in	508 mm	8.2.5.3
Sliding Pole - maximum distance from structure	20 in	508 mm	8.4.1
To-Fro Swing Hangers - minimum splay distance	20 in	508 mm	8.6.5.1 (4)
Slide Non-Entanglement / Clearance Zone - min. side clearance	21 in	530 mm	Fig A1.27
Handrail - minimum height	22 in	560 mm	7.2.6.5
Tube Slides - minimum interior diameter	23 in	580 mm	8.5.4.7
Fully-Enclosed Bucket Swing Seat - minimum clearance from seat to surface	24 in	610 mm	8.6.5.1 (5)
To-Fro Swings - minimum horizontal clearance between adjacent swing chains, measured 60" above surface	24"	610 mm	8.6.5.1 (2)
Wheelchair Ramp - maximum length for width reduction (32-36")	24 in	610 mm	7.5.3
Wheelchair Ramp w/ Barriers - minimum upper handrail height	26 in	660 mm	7.5.5.5
Wheelchair Ramp w/ Barriers - maximum upper handrail height	28 in	710 mm	7.5.5.5
Spring Rockers - maximum seat height	28 in	710 mm	8.11.5
Wheelchair Parking Space - minimum width	30 in	760 mm	Fig A1.46
To-Fro Swings - minimum horizontal clearance between support structure and swing chain, measured 60" above surface	30 in	760 mm	8.6.5.1 (3)
Slide Exit Region - minimum radius of curvature	30 in	760 mm	8.5.5.4
Rotating Swing - minimum clearance zone (Y = vertical distance between pivot point and top of swing seat)	Y + 30"		9.4.2.4
Wheelchair Ramp - minimum width reduction (24" max. length)	32 in	810 mm	7.5.3
Track Ride Elevated Landing Structure - minimum width	32 in	810 mm	8.13.3
Upper Body Equipment for Children 5-12 - maximum landing structure height	36 in	910 mm	8.3.4
Track Ride Elevated Landing Structure - minimum length	36 in	910 mm	8.13.3
Wheelchair Ramp Landings - minimum circulation width	36 in	910 mm	7.2.5
Wheelchair Ramps - minimum clear width	36 in	910 mm	7.5.3
Handrails - maximum height	38 in	970 mm	7.2.6.5
Wheelchair Parking Space - minimum length	48 in	1220 mm	Fig A1.46
Parallel Track Rides - minimum clearance center to center	48 in	1220 mm	8.13.6
Wheelchair-Accessible Overhead Equipment - maximum height	54 in	1370 mm	8.3.3
Wheelchair-Accessible Landings - minimum clear space	60 in	1524 mm	Fig A1.46
Fulcrum Seesaws - maximum seat height	60 in	1524 mm	8.10.6
Sliding Pole - minimum height above access structure	60 in	1524 mm	8.4.3
Upper Body Equipment for Children 2-5 - maximum height	60 in	1524 mm	8.3.3
Non-Spiral Slides - clear height above bedway	60 in	1524 mm	8.5.6.1
Track Ride Hand gripping Component - minimum height	64 in	1630 mm	8.13.2
3-D Climbing Net - maximum vertical clearance between rungs	72 in	1830 mm	8.2.5.2
3-D Climbing Net > 72" - minimum fall height	72 in	1830 mm	8.2.5.2
Track Ride Hand gripping Components - maximum height	78 in	1980 mm	8.13.2
Upper Body Equipment for Children 5-12 - maximum height	84 in	2130 mm	8.3.3
Overhead Obstruction - clearance above designated play surface	84 in	2130 mm	9.8.4.1
Non-Rigid Component Suspended Between Two Play Units or Between Play Unit and Ground Within 45° of Horizontal - minimum height	84 in	2130 mm	6.6
Wheelchair Ramp - maximum length per run	144 in	3660 mm	7.2.4

SECTION IV: CERTIFIED PLAYGROUND SAFETY INSPECTOR – CODE OF PROFESSIONAL CONDUCT

This code sets forth the standards of professional conduct to be observed by CPSIs upon confirmation by the NCB as they act in the capacity of that certification. Individuals shall, in their professional activities, sustain and advance the integrity, honor and veracity of their certification by:

- holding the safety of playground users paramount in all professional services;
- utilizing the most current standards of care (as delineated by the American Society for Testing and Materials Standards on Consumer Safety Performance Specification for Public Use, Playground surfacing, and Standard Consumer Safety Performance Specifications for Public Use Play Equipment for Children 6 months through 23 months, as well as the US Consumer Product Safety Commissions Public Playground Safety Handbook);
- maintaining currency and competency in playground safety inspection procedures including use of testing tools and knowledge of current safety criteria;
- identifying and documenting all situations which are in non-compliance with the standards of care along with the citation of the specific reference portion of the criterion document, using a standard playground safety inspection process;
- prioritizing all identified non-compliances according to a standard norm of foreseeable consequences;
- advising employers or clients of seriously dangerous conditions in the most prompt manner as well as part of a written report, omitting no adverse findings from the official documentation of the safety inspection;
- never conducting a safety audit or inspection without the knowledge and consent of the playground owner;
- never contradicting the findings of another CPSI without first consulting directly with the first Inspector regarding the basis for these findings;
- never conducting a safety audit of a playground with the intent to discredit an owner or manufacturer or to promote sale of other equipment or products;
- never providing findings of an inspection to anyone other than the playground owner unless authorized by the owner to do so; and
- perform our duties as a CPSI in compliance with all federal, state and local laws in accordance with the highest standards; and avoid any involvement in illegal, fraudulent, unethical or improper conduct.

Individuals failing to practice these professional standards shall be subject to loss of professional certification upon a negative finding by a review process and enforcement procedures established by the Executive Committee of the Certified Playground Safety Inspector Certification Committee.